

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexascins, Virginia 22313-1450 www.emplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,575	01/28/2005	Tomoyuki Tanaka	50070-098	8794
20277 7550 022652009 MCDERMOTT WILL & EMERY LLP 600 13TH STREET, N.W.			EXAMINER	
			NOLAND, THOMAS	
WASHINGTON, DC 20005-3096			ART UNIT	PAPER NUMBER
			2856	
			MAIL DATE	DELIVERY MODE
			02/26/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of Allowability

Application No.	Applicant(s)
10/522,575	TANAKA ET AL.
Examiner	Art Unit
Thomas P. Noland	2056

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- 1. This communication is responsive to the amendment filed Dec. 15, 2008,
- 2. The allowed claim(s) is/are 1 and 4-7.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - - 1. T Certified copies of the priority documents have been received.
 - Certified copies of the priority documents have been received in Application No. _____
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDOMMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) Thereto or 2) to Paper No./Mail Date
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2.
 Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO/SB/08),
- Paper No./Mail Date 20050128
- Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date .
- 7. X Examiner's Amendment/Comment
- 8. Examiner's Statement of Reasons for Allowance
- 9. Other _____.

Application/Control Number: 10/522,575 Page 2

Art Unit: 2856

EXAMINER'S AMENDMENT

 The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should have its Art Unit designated as Art Unit 2856.

- The amendment filed Dec. 15, 2008 has been entered.
- 3. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: In the corrected drawings filed Dec. 15, 2008, which were otherwise acceptable, in Fig. 4 thereof on its left side a second reference designation - 21b - is to be added and a leading line therefrom to the plate portion opposite to the plate portion 21b on the right is also to be added. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 4. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In the specification on page 7, line 9 " 21 " has been replaced with - - - 21a - - -.

In claim 5, lines 2-5 " such a . . . said cover " has been replaced with - - - a face plate of said cover, from which said liquid level detection unit and a portion of said fixing portion project in a direction normal thereto - - - .

In line 3 of each of claims 6 and 7 "the" has been replaced with --- an ---.

Application/Control Number: 10/522,575 Page 3

Art Unit: 2856

The above changes were made to better comply with 37 CFR 1.84 and 35 U.S.C.

112(2).

6. Authorization for this examiner's amendment was given in a telephone interview

with Applicant's representative Mr. Stephen A. Becker on Feb. 24, 2009.

7. Claims 1 and 4-7 have been allowed.

8. The previous examiner of this application, Mr. Cygan, has changed jobs within

the office. Therefore:

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tom Noland whose telephone number is (571) 272-2202. The examiner can normally be reached on weekdays from 9:00 to 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Hezron E. Williams, can be reached on (571) 272-2208.

The fax phone number for the organization where this application or proceeding is assigned is $(571)\ 273-8300$.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to 2800 Customer Service at (571) 272-2815.

/Thomas P. Noland/ Primary Examiner Art Unit 2856

Feb. 24, 2009